



**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone: (856) 303-2500 Fax: (856) 858-4571 Email: EnvChemistry2@emsl.com

Attn: **Tim Popp**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

12/28/2021

Phone: (856) 840-8800

Fax: (856) 840-8815

The following analytical report covers the analysis performed on samples submitted to EMSL Analytical, Inc. on 12/13/2021. The results are tabulated on the attached data pages for the following client designated project:

**21-603/Operations Building**

The reference number for these samples is EMSL Order #012114327. Please use this reference when calling about these samples. If you have any questions, please do not hesitate to contact me at (856) 303-2500.

Approved By:

Phillip Worby, Environmental Chemistry  
Laboratory Director



The test results contained within this report meet the requirements of NELAP and/or the specific certification program that is applicable, unless otherwise noted.

NELAP Certifications: NJ 03036, NY 10872, PA 68-00367, CA ELAP 1877

The samples associated with this report were received in good condition unless otherwise noted. This report relates only to those items tested as received by the laboratory. The QC data associated with the sample results meet the recovery and precision requirements established by the NELAP, unless specifically indicated. All results for soil samples are reported on a dry weight basis, unless otherwise noted. This report may not be reproduced except in full and without written approval by EMSL Analytical, Inc.

**EMSL Analytical, Inc.**

200 Route 130 North, Cinnaminson, NJ 08077

Phone/Fax: (856) 303-2500 / (856) 858-4571

<http://www.EMSL.com>[EnvChemistry2@emsl.com](mailto:EnvChemistry2@emsl.com)

EMSL Order: 012114327

CustomerID: TTIE54

CustomerPO: 034013

ProjectID:

Attn: **Tim Popp**  
**TTI Environmental Inc.**  
**1253 North Church Street**  
**Moorestown, NJ 08057**

Phone: (856) 840-8800  
 Fax: (856) 840-8815  
 Received: 12/13/2021 01:20 PM

Project: 21-603/Operations Building

**Analytical Results**

**Client Sample Description** 3 / SK3 / Training Rm **Collected:** 12/10/2021 7:11:00 AM **Lab ID:** 012114327-0001

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	3.94	1.00 µg/L	12/14/2021 KB	12/17/2021 KB 19:47

**Client Sample Description** 8 / SK8 / Maint. Area **Collected:** 12/10/2021 7:19:00 AM **Lab ID:** 012114327-0002

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	12/14/2021 KB	12/17/2021 KB 19:49

**Client Sample Description** 9 / BF1 / Hall **Collected:** 12/10/2021 7:13:00 AM **Lab ID:** 012114327-0003

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	12/14/2021 KB	12/17/2021 KB 19:51

**Client Sample Description** 10/ WF1 / Hall **Collected:** 12/10/2021 7:13:00 AM **Lab ID:** 012114327-0004

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	12/14/2021 KB	12/17/2021 KB 19:54

**Client Sample Description** 11 / Field Blank **Collected:** 12/10/2021 4:30:00 AM **Lab ID:** 012114327-0005

Method	Parameter	Result	RL Units	Prep Date & Analyst	Analysis Date & Analyst
<b>METALS</b>					
200.8	Lead	ND	1.00 µg/L	12/14/2021 KB	12/17/2021 KB 19:56